Index to Volume 39

Authors and Titles

Abdul-Razzaq, H. A., Bickerstaffe, R., and Savage, G. P.—
The influence of rumen volatile fatty acids on blood metabolites and body composition of growing lambs 505
Adams, N. R., Sanders, M. R., and Ritar, A. J.—
Oestrogenic damage and reduced fertility in ewe flocks in South Western Australia 71
Al-Ali, S. J. *See* Walker, D. M. 79
Allen, R. N., Dettmann, E. Belinda, Johns, G. G., and Turner, D. W.—
Estimation of leaf emergence rates of bananas 53
Aluko, G. K., and Fischer, K. S.—
The effect of changes on assimilate supply around flowering on grain sink size and yield of maize (*Zea mays* L.) cultivars of tropical and temperate adaptation 153
Archer, K. A., and Robinson, G. G.—
Agronomic potential of native grass species on the Northern Tablelands of New South Wales. I. Growth and herbage production 415
See also Robinson, G. G. 415
Arthur, R. J. *See* Wythes, J. R. 97
Asher, C. J. *See* Hetherington, S. J. 171; Rego, T. J. 773
Auld, B. A.—
Dynamics of pasture invasion by three weeds, *Avena fatua* L., *Carduus tenifloris* Curt., and *Onopordum acanthium* L. 589

Baker, S. K. *See* Masters, D. G. 517
Barrs, H. D. *See* Meyer, W. S. 11
Beard, K. T.—
Efficiency of index selection for cattle using economic weights for major milk constituents 273
Bell, L. C. *See* Bruce, R. C. 319
Beveridge, I. *See* Pullman, A. L. 691
Bickerstaffe, R. *See* Abdul-Razzaq, H. A. 505
Blacklow, W. M. *See* Kon, K. F. 1039
Blaikie, S. J., Kelly, K. B., Mason, W. K., and Martin, F. M.—
Productivity of irrigated pastures growing on subsoil exposed by laser landforming — a short-term study 837
Blair, G. J. *See* Scott, J. M. 437, 447; Chisholm, R. H. 807, 817, 827
Blamey, F. P. C. *See* Hetherington, S. J. 171; Williams, K. C. 965
Blaney, B. J., and Dodman, R. L.—
Production of the mycotoxins zearalenone, 4-deoxynivalenol and nivalenol by isolates of *Fusarium graminearum* Groups 1 and 2 from cereals in Queensland 21
See also Mannion, P. F. 533
Blaney, B. J. *See* Williams, K. C. 1095
Bourne, A. S., Sutherst, R. W., Sutherland, I. D., and Maywald, G. F.—
Ecology of the cattle tick (*Boophilus microplus*) in subtropical Australia. III. Populations on different breeds of cattle 309
See also Sutherst, R. W. 285, 299
Brennan, R. F.—
Effect of phosphorus deficiency in wheat on the infection of roots by *Gaeumannomyces grammis* var. *tritici* 541
Briegel, J. *See* Masters, D. G. 517
Brown, J. S.—
Relationships between stripe rust severity and grain yield loss at Dooen, Victoria 563
Brown, G. H.—
The statistical comparison of reproduction rates for groups of sheep 899
Brockwell, J., Gault, R. R., Herridge, D. F., Morthorpe, Linda, J., and Roughley, R. J.—
Studies on alternative means of legume inoculations: microbiological and agronomic appraisals of commercial procedures for inoculating soybeans with *Bradyrhizobium japonicum* 965
Bruce, R. C., Warrell, L. A., Edwards, D. G., and Bell, L. C.—
Effects of aluminium and calcium in the soil solution of acid soils on root elongation of *Glycine max.* cv. Forrest 319
Bunch, G. A. *See* Jones, R. M. 209, 221

Cai, G. X., Freney, J. R., Humphreys, E., Denmead, O. T., Samson, M., and

Simpson, J. R.—
Use of surface films to reduce ammonia volatilization from flooded rice fields 177
See also Smith, C. J. 793
Chalk, P. M. *See* Smith, C. J. 793
Chapman, K. R. *See* Whiley, A. W. 457
Chisholm, R. H., and Blair, G. J.—
Phosphorus efficiency in pasture species. I. Dry weight, P content and relative growth rate as indices of efficiency in a multi-harvest experiment 807
II. Differences in the utilization of P between major chemical fractions 817
III. Correlations of dry matter accumulation with phosphorus pool sizes and their net transfer rate 827
Clarke, J. N. *See* Skerman, T. M. 907
Cockrum, P. A., Culvenor, C. C. J., Edgar, J. A., Jago, M. V. and Payne, A. L.—
Toxic tunicaminyluracil antibiotics identified in water-damaged wheat responsible for the death of pigs 245
Collins, W. J. *See* Rossiter, R. C. 1051, 1063
Cook, the late L. J. *See* Hogan, J. P. 525
Coombe, J. B., and Mulholland, J. G.—
Food intake and levels of rumen metabolites in cattle grazing wheat and old stubble 629
Crosbie, G. B. *See* Rowe, J. B. 639
Croìs, R. B. *See* McSweeney, C. S. 935
Cullis, B. R. *See* Fletcher, R. J. 111; Ellison, P. J. 847
Culvenor, C. C. J. *See* Cockrum, P. A. 245

D'Antuono, M. F. *See* Panetta, F. D. 385
Davis, P. *See* Hogan, J. P. 525; Weston, R. H. 1107
Davis, R. D., Irwin, J. A. G., and Shepherd, R. K.—
Induced systemic resistance in *Stylosanthes* spp. to *Colletotrichum gloeosporioides* 309
Davis, S. R., and Hughson, G. A.—
Measurement of functional udder capacity in lactating Jersey cows 1163
Denmead, O. T. *See* Cai, G. X. 177
Dettmann, E. Belinda *See* Allen, R. N. 53
Dodt, R. M. *See* Wythes, J. R. 97
Dodman, R. L. *See* Blaney, B. J. 21
Dowling, P. M.—
Effect of pre-season management and in-crop herbicides on weed seedling numbers and triticale grain yield 783
Doyle, A. D., Moore, K. J., and Herridge, D. F.—
The narrow-leafed lupin (*Lupinus angustifolius* L.) as a nitrogen fixing rotation crop for cereal production. III. Residual effects of lupins on subsequent cereal crops 1029
See also Herridge, D. F. 1017
Doyle, P. T.—
Utilization of clover diets by sheep. III. Palatability of subterranean clay 891
Doyle, P. T., and McLaren, C. E.—
Utilization of clover diets by sheep. II. Intake, digestion and utilization of nitrogen and sulfur 881
See also McLaren, C. E. 871
Dunstone, R. L., Richards, R. A., and Rawson, H. M.—
Variable responses of stomatal conductance, growth and yield to fulvic acid applications to wheat 547

Edey, T. N. *See* Sutama, I. K. 703
Edgar, J. A. *See* Cockrum, P. A. 245
Edwards, D. G. *See* Bruce, R. C. 319; Rego, T. J. 773
Ellison, P. J., McFadyen, L. M., Cullis, B., and Kable, P. F.—
Survival of the dispersed urediniospores of *Tranzscheia discolor* Fckl. (Tranz. & Litv.) on leaves of *Prunus domestica* L. cv. 'd'Agen' in spring and summer in the Murrumbidgee Irrigation Area 847
Evans, J., Hochman, Z., O'Connor, G. E., and Osborne, G. J.—
Soil acidity and *Rhizobium*: their effects on nodulation of subterranean clover on the slopes of southern New South Wales 605

Faichney, G. J., and White, G. A.—
Rates of passage of solutes, microbes and particulate matter through the gastro-intestinal tract of ewes fed at a constant rate through gestation 481
Partition of organic matter; fibre and protein digestion in ewes fed at a constant rate throughout gestation 493
See also Punia, B. S. 1181
Fischer, K. S. *See* Aleuko, G. K. 153
Fletcher, R. J.—
Relationship between freezing injury suffered during the stem elongation stage of development and vernalization response in a winter wheat cultivar (*Triticum aestivum* L. cv. Cheyenne) 129
Fletcher, R. J., and Cullis, B. R.—
Evaluation of chromosome substitution lines of wheat (*Triticum aestivum* L. cv. Cheyenne) 129
Fletcher, I. C. *See* Sutama, I. K. 703
Fordyce, G., Saithanoo, S., and

Goddard, M. E.—
Factors affecting mature size and dry-season weight loss in *Bos indicus* cross cowes in northern Queensland 1169
Freney, J. R. *See* Cai, G. X. 171; Trevitt, A. C. F. 351; Smith, C. J. 793

Galbally, I. E. *See* Smith, D. J. 793
Gale, J. *See* Zeroni, M. 863
Gault, R. R. *See* Brockwell, J. 965
Gilbey, D. J. *See* Panetta, F. D. 385
Gilmour, A. R. *See* Raadsma, H. W. 917
Goddard, M. E. *See* Saithanoo, S. 943, 1169
Goodman, R. D. *See* Oldroyd, B. P. 959
Gordon, G. L. R. *See* Weston, R. H. 1107
Graham, Robin, R. D. *See* Wilhelm, N. S. 1
Grandon, N. J. *See* Rego, T. J. 773
Greber, R. S., Persley, D. M., and Herrington, M. E.—
Some characteristics of Australian isolates of zucchini yellow mosaic virus 1085
See also Teakle, D. S. 1075

Harding, R. M., and Teakle, D. S.—
Autofluorescence of necrotic phloem cells and laticifers, and a reduced latex flow: new symptoms for papaw dieback disease in Australia 887
See also Teakle, D. S. 1075
Herridge, D. F.—
The narrow-leafed lupin (*Lupinus angustifolius* L.) as a nitrogen-fixing rotation crop for cereal production.
I. Indices of nitrogen fixation 1003
Herridge, D. F., and Doyle, A. D.—
The narrow-leafed-lupin (*Lupinus angustifolius* L.) as a nitrogen-fixing rotation crop for cereal products.
II. Estimates of fixation by field-grown crops. 1017
See also Brockwell, J. 965; Doyle, A. D. 1029
Hetherington, M. E. *See* Greber, R. S. 1085
Hetherington, S. J., Asher, C. J., and Blamey, F. P. C.—
Comparative tolerance of sugarcane, navybean, soybean and maize to aluminium toxicity 171
Hicks, S. *See* Teakle, D. S. 1075
Hockman, Z. *See* Evans, J. 605
Hoey, W. A. *See* McDonald, B. J. 729
Hogan, J. P., the late Cook, L. J., and Davis, P.—
The nutritional value of rice pollard for sheep 525
Humphreys, E. *See* Cai, G. X. 171
Humphreys, L. R.
See Trongkongsin, K. 1999

Hunter, R. A., and Magner, T.—
The effect of supplements of formaldehyde-treated casein on feed intake, liveweight change, milk production and return to oestrus of lactating *Bos indicus* × *Bos taurus* beef heifers fed a roughage diet 1151

Irwin, J. A. G. *See* Davis, R. D. 399

Jago, M. V. *See* Cockrum, P. A. 245
John, A. *See* McSweeney, C. S. 235
Johns, G. G. *See* Allen, R. N. 53
Johnson, P. L. *See* Skerman, T. M. 907
Jones, H. R. *See* Munday, G. N. 409
Jones, R. M., and Bunch, G. A.—
The effect of stocking rate on the population dynamics of siratro in siratro (*Macroptilium atropurpureum*)-setaria (*Setaria sphacelata*) pastures in south-east Queensland.
I. Survival of plants and stolons 209
II. Seed set, soil seed reserves, seedling recruitment and seedling survival 221

Kable, P. F. *See* Ellison, P. J. 847
Kane, D. W. *See* Skerman, T. M. 907
Kelly, K. B. *See* Blaikie, S. J. 837
Kemp, D. R.—
The effect of flowering and leaf area on sward growth in winter of temperate pasture grasses 597
Kennedy, P. M. *See* McSweeney, C. S. 235
Kon, K. F., and Blacklow, W. M.—
Identification, distribution and population variability of great brome (*Bromus diadrus* Roth) and rigid brome (*Bromus rigidus* Roth) 1039
Kriedemann, P. E. *See* Syvertsen, J. P. 6.9

Lawn, R. J. *See* Paje, M. C. M. 363
Lee, L. Slade—
Citrus polyploidy — origins and potential for cultivar improvement 735
Leibholz, Jane, and Mollah, Y.—
Digestibility of threonine from protein concentrates for growing pigs I. The flow of endogenous amino acids to the terminal ileum of growing pigs 713
II. The digestibility of threonine to the terminal ileum in pigs given six protein concentrates 721
See also Punia, B. S. 1181
Lindsay, J. R. *See* Weston, R. H. 1107
Lister, R. M. *See* Sward, R. J. 375
Lloyd, J. *See* Syvertsen, J. P. 619
Luckett, D. J. *See* Williams, E. R. 339; Thomson, N. J. 973, 991

Ludlow, M. M. *See* Paje, M. C. M. 363

McDonald, B. J., O'Rourke, P. K., Connell, J. A., and Hoey, W. A.—
Prenatal growth and estimation of fetal age of the Australian feral goat 729
McFadyen, L. M. *See* Ellison, P. J. 847
McGrath, D. J. *See* Thomas, J. E. 475
McKenney, D. J. *See* Smith, D. J. 793
McLaren, C. E., and Doyle, P. T.—
Utilization of clover diets by sheep.
I. Intake and digestion of organic matter and cell wall constituents 871
See also Doyle, P. T. 881
McSweeney, C. S., Kennedy, P. M., and John, A.—
Effect of ingestion of hydrolysable tannins from *Terminalia oblongata* on protein and organic matter digestion in sheep fed *Stylosanthes hamata* 235
McSweeney, C. S., Cross, R. B., Wholohan, T., and Murphy, M. R.—
Diagnosis of sodium status in small ruminants 935
Magee, M. H. *See* Williams, K. C. 965
Magner, T. *See* Hunter, R. A. 1151
Mannion, P. F., and Blaney, B. J.—
Responses of meat chickens offered 4-deoxynivalenol- and zearalenone-containing wheat, naturally infected with *Fusarium graminearum* 533
Mangan, D. E.—
Stimulation of abomasal flow in sheep with buffer infusions per abomasum and effects of same on certain aspects of intestinal function 1121
Martin, F. M. *See* Blaikie, S. J. 837
Martin, R. R. *See* Pullman, A. L. 691
Mason, W. K. *See* Mundy, G. N. 409; Blaikie, S. J. 837
Mayer, R. J. *See* Rees, R. G. 141
Maywald, G. F. *See* Sutherst, R. W. 285, 299; Bourne, A. S. 309
Meyer, W. S., and Barrs, H. D.—
Response of wheat to single short-term waterlogging during and after stem elongation 11
Milne, R. G. *See* Teakle, D. S. 1075
Mollah, Y. *See* Leibholz, Jane 713, 721
Moore, K. J. *See* Doyle, A. D. 1029
Morthorpe, L. J. *See* Brockwell, J. 965
Muirhead, W. A. *See* Trevitt, A. C. F. 351
Mulholland, J. G. *See* Coombe, J. B. 629
Mundy, G. N., Jones, H. R., and Mason, W. K.—
Nitrogen fixation activity by white clover pastures during flood irrigation cycles 409
Munns, R. *See* Rawson, H. M. 759
Murphy, M. R. *See* McSweeney, C. S. 935
Murray, D. M., and Slezacek, Olga—
The effect of weight stasis on the dissected carcass composition of crossbred sheep 645
The effect of weight stasis on the non-carcass components of crossbred sheep 653
Murtagh, G. J.—
Factors affecting the growth of kikuyu
I. Potential growth and nitrogen supply 31
II. Water supply 43

Nolan, J. V. *See* Hennessy, D. W. 1135

O'Connor, G. E. *See* Evans, J. 605
Oldroyd, B. P., and Goodman, R. D.—
Inbreeding and heterosis in Queen bees in relation to brood area and honey production 959
O'Rourke, P. K. *See* McDonald, B. J. 729
Osborne, G. J. *See* Evans, J. 605

Paje, M. C. M., Ludlow, M. M., and Lawn, R. J.—
Variation among soybean (*Glycine max* (L.) Merr.) accessions in epidermal conductance of leaves 363
Panetta, F. D., Gilbey, D. J., and D'Antuono, M. F.—
Survival and fecundity of wild radish (*Raphanus raphanistrum* L.) plants in relation to cropping, time of emergence and chemical control 385
Park, R. F., Rees, R. G., and Platz, G. J.—
Some effects of stripe rust infection in wheats with adult plant resistance 555
Paxton, W. J. *See* Raadsma, H. W. 917
Payne, A. L., and Cockrum, P. A.—
Production of corynetoxins *in vitro* by *Corynebacterium* sp. isolated from annual ryegrass seedheads 63
Paynter, D. L. *See* Mastera, D. G. 517
Perryman, T. *See* Marcellos, H. 579
Persley, D. M. *See* Greber, R. S. 1085
Platz, G. J. *See* Rees, R. G. 141
Powell, V. H. *See*, Wythes, J. R. 87
Pullman, A. L., Beveridge, I., and Martin, R. R.—
Epidemiology of nematode infections of weaner sheep in the cereal zone of South Australia 691
Punia, D. S., Leibholz, Jane, and Faichney, G. J.—
Effects of level of intake and urea supplementation of alkali-treated straw on

protozoal and bacterial nitrogen synthesis in the rumen and partition of digestion in cattle 1181
Purser, D. B. *See* Masters, D. G. 517; Weston, R. H. 1107

Raadsma, H. W., Gilmour, A. R., and Paxton, W. J.—
Fleece rot and body strike in sheep. I. Evaluation of liability to fleece rot and body strike under experimental conditions 917
Rawson, H. M., Richards, R. A., and Munns, R.—
An examination of selection criteria for salt-tolerance in wheat, barley, and triticale genotypes 759
See also Dunstone, R. L. 547
Rees, R. G., Platz, G. J., and Mayer, R. J.—
Susceptibility of Australian wheats to *Pyrenophora tritici-repentis* 141
Rego, T. J., Grundon, N. J., Asher, C. J., and Edwards, D. G.—
Comparison of the effects of continuous and relieved water stress on nitrogen nutrition of grain sorghum 773
Richards, R. A.—
A tiller inhibitor gene in wheat and its effects on plant growth 749
See also Dunstone, R. L. 547; Rawson, H. M. 759
Ritar, A. J. *See* Adams, N. R. 71
Robinson, G. G., and Archer, K. A.—
Agronomic potential of active grass species on the Northern Tablelands of New South Wales. I. Growth and herbage production 415
See also Archer, K. A. 425
Rose, I. A.—
Effects of moisture stress on the oil and protein components of soybean seeds 163
Rossiter, W. C., and Collins, W. J.—
Genetic diversity in old subterranean clover (*Trifolium subterraneum* L.) populations in Western Australia I. Pastures sown initially to the Dwalganup strain 1051
II. Pasture sown initially to the Mt Barker strain 1063
Roughley, R. J. *See* Brockwell, J. 965
Rovira, A. D. *See* Wilhelm, N. S. 1
Rowe, J. B., and Crosbie, G. B.—
The digestibility of grain of two cultivars of oats differing in lignin content 639

Saithanoo, S., and Goddard, M. E.—
A model of individual variation in the food conversion efficiency and other growth parameters of grazing beef cattle in the tropics 943
See also Fordyce, G. 1169
Samson, M. *See* Cai, G. X. 177
Sanders, M. R. *See* Adams, N. R. 71
Saranah, J. B. *See* Whiley, A. W. 457
Savage, G. P. *See* Abdul-Razzaq, H. A. 505
Scott, J. M., and Blair, G. J.—
Phosphorus seed coatings for pasture species I. Effect of source and rate of phosphorus on emergence and early growth of phalaris (*Phalaris aquatica* L.) and lucerne (*Medicago sativa* L.) 437
II. Comparison of effectiveness of phosphorus applied as seed coatings, drilled or broadcast, in promoting early growth of phalaris (*Phalaris aquatica* L.) and lucerne (*Medicago sativa* L.) 447
Sdoodee, R., and Teakle, D. S.—
Seed and pollen transmission of tobacco streak virus in tomato (*Lycppersicon esculentum* cv. Grosse Lisse) 469
Shepherd, R. K. *See* Davis, R. D. 399
Shorthose, W. R. *See* Wythes, J. R. 87, 97
Simpson, J. R. *See* Cai, G. X. 177; Trevitt, A. C. F. 351
Skerman, T. M., Johnson, D. L., Kane, D. W., and Clarke, J. N.—
Clinical footscald and footrot on a New Zealand Romney flock: phenotypic and genetic parameters 907
Slezacek, Olga. *See* Murray, D. M. 645, 653
Spurr, D. T. *See* Tinline, R. D. 569
Sutama, I. K., Edey, T. N., and Fletcher, I. C.—
Studies on reproduction of Javanese thin-tail ewes 703
Sutherland, I. D. *See* Sutherst, R. W. 285, 299; Bourke, A. 309
Sutherst, R. W., Sutherland, I. D., Bourne, A. S., and Maywald, G. F.—
Ecology of the cattle tick (*Boophilus microplus*) in subtropical Australia. I. Introduction and free-living stages. 285
Sutherst, R. W., Maywald, G. F., Bourne, A. S., and Sutherland, I. D.—
Ecology of the cattle tick (*Boophilus microplus*) in subtropical Australia II. Management and resistance of cattle 299
See also Bourne, A. S. 309
Sward, R. J., and Lister, R. M.—
The identity of barley yellow dwarf virus isolates in cereals and grasses from mainland Australia 375
Syvertsen, J. P., Lloyd, Jon, and Kriedemann, P. E.—

Salinity and rough stress effects on foliar ion concentration, water relations, and their photosynthetic characteristics of orchard citrus 619

Teakle, D. S., Hicks, A. S., Harding, R. M., Greber, R. S., and Milne, R. G.—
Pangola stunt virus and summer grass in Queensland 1075
See also Sdoodee, R. 469; Harding, R. M. 857
Thomas, J. E., and McGrath, D. J.—
Inheritance of resistance to potato virus Y in tomato 475
Thomson, N. J., and Luckett, D. J.—
Heterosis and combining ability effects in cotton.
I. Combining ability 973
II. Heterosis 981
Tinline, R. D., Wildermuth, G. B., and Spurr, D. T.—
Inoculum density of *Cochliobolus sativus* in soil and common root rot of wheat cultivars in Queensland 569
Trongkongsin, K., and Humphreys, L. R.—
The long-short day requirements for flowering in *Stylosanthes guianensis* 199
Turner, D. W. *See* Allen, R. N. 53
Walker, D. M., and Al-Ali, S. J.—
Protein intake and its relationship to urinary calcium excretion in the preruminant lamb 79
Wapshere, A. J.—
Prospects for the biological control of silver-leaf nightshade 187
Warrell, L. A. *See* Bruce, R. C. 319
Weston, R. H.—
Factors limiting the intake of feed by sheep.
X. The effects of concentrate supplements on the voluntary consumption and digestion of a medium quality roughage 255
XI. The effect of pregnancy and early lactation on the digestion of a medium-quality roughage 659
XII. Digesta load and chewing activities in relation to lactation and its attendant increase in voluntary roughage consumption 671
XIII. Voluntary roughage consumption in late pregnancy and early lactation in relation to protein nutrition 679
Weston, R. H., Lindsay, J. R., Purser, D. B., Gordon, G. L. R., and Davis, P.—
Feed intake and digestion responses in sheep to the-addition of inorganic sulfur to a herbage diet of low sulfur content 1107
Whiley, A. W., Chapman, K. R., and Saranah, J. B.—
Water loss by floral structures of avocado (*Persea americana* cv. Fuerte) during flowering 457
White, G. A. *See* Faichney, G. J. 481, 493
Whololan, T. *See* McSweeney, C. S. 935
Wildermuth, G. B. *See* Tinline, R. D. 569
Wilhelm, N. S., Graham, Robin D., and Rovira, Albert, D.—
Application of different sources of manganese sulfate decreases take-all (*Gaeumannomyces graminis* var. *tritici*) of wheat grown in a manganese deficient soil 1
Williams, E. R., and Luckett, D. J.—
The use of uniformity data in the design and analysis of cotton and barley variety trials 339
Williams, K. C., Blaney, B. J., and Magee, M. H.—
Responses of wheat fed naturally infected with *Fusarium graminearum* and containing the mycotoxins 4-deoxynivalenol and zearalenone 1095
Wythes, J. R., Shorthose, W. R., and Powell, V. H.—
Cattle handling at abattoirs
I. The effects of rest and resting conditions before slaughter and of electrical stimulation of carcasses on carcass weight and muscle properties 87
Wythes, J. R., Arthur, R. J., Dodt, R. M., and Shorthose, W. R.—
Cattle handling at abattoirs
II. The effects of rest in transit and duration of the resting period before slaughter on carcass weight bruising and muscle properties 97

Zeroni, M., and Gale, J.—
Response of Sonia roses to continuous daytime CO_2 supplementation under controlled environment conditions 863